

KONE TranSys™ DX visual options

Future-proof your building with this powerful, durable connected elevator solution for moving goods in demanding environments. The KONE TranSys DX combines power with premium-quality design and can be customized with a range of materials.

Key specifications



API ready



Connected



Max. speed
1.6 m/s



Max. load capacity
5,000 kg



Max. travel
40 m



Max. floors
12



Max. persons
66




Max. group size
4




Walls

Painted steel



P51
Misty Gray
(RAL 9006)
⓪ Ⓢ




P62
Blue Reflection
⓪ Ⓢ



P63
Cottongrass White
(RAL 9003)
⓪ Ⓢ

Brushed stainless steel



F
Asturias Satin
⓪ Ⓢ

Corrosion resistant steel



A
Acid Proof
(AISI316)
Ⓢ ⓪ Ⓢ




F1
Asturias Satin
(AISI304)
Ⓢ ⓪ Ⓢ


Resistant stainless steel



F2
Asturias Satin
(Anti-fingerprint)
⓪ Ⓢ



K
Scottish Quad
⓪ Ⓢ



TS1
Flemish Linen
⓪ Ⓢ

Local wall



Z
Raw surface for
local paint or dec-
orative panels
⓪ Ⓢ

Smart laminate



L243
Ultimate Gray
⓪ Ⓢ

Transparent glass




TW1
Glass
Ⓢ ⓪ Ⓢ

Floors

Rubber



RC30
Carbon Black
⓪ Ⓢ



RC31
Quartz Gray
⓪ Ⓢ

Metal plate



AL
Aluminium
Ⓢ ⓪ Ⓢ



SS
Stainless steel
⓪ Ⓢ



ST
Chequered steel
⓪ Ⓢ

Plywood



FFP
Film Faced Ply-
wood

Local flooring



0
Raw surface for
local finishing

Doors

Painted steel



P51
Misty Gray
(RAL 9006)
⓪ Ⓢ




P63
Cottongrass White
(RAL 9003)
⓪ Ⓢ



F
Asturias Satin
⓪ Ⓢ

Corrosion resistant steel




A
Acid Proof
(AISI316)
Ⓢ ⓪ Ⓢ



F1
Asturias Satin
(AISI304)
Ⓢ ⓪ Ⓢ


Resistant stainless steel



F2
Asturias Satin
(Anti-fingerprint)
⓪ Ⓢ



K
Scottish Quad
⓪ Ⓢ



TS1
Flemish Linen
⓪ Ⓢ

Local door



Z
Raw surface for
local paint or dec-
orative panels
⓪ Ⓢ

Transparent glass



TW1
Glass
Ⓢ ⓪ Ⓢ

Note:

Ⓢ Extended lead time

⓪ Nordic Swan Ecolabel: Material can be used in Nordic Swan Ecolabelled buildings.

Ⓢ LEED/BREEAM: Material meets LEED/BREEAM low-emitting materials requirements.

Accessories are not in scope of the requirements.

Ceilings*

Direct lighting



CL80
Finish: Cottongrass White (P63)
Asturias Satin (F)




CL96
Finish: Cottongrass White (P63)
Asturias Satin (F)

Indirect lighting



CL109
Finish: Cottongrass White (P63)
Asturias Satin (F)

Integrated ceiling



LF1 / LF1V (EN81-71 Cat.2) **
Finish: Cottongrass White (P63)
Asturias Satin (F)

Firefighter (EN81-72 compliant) and
vandalit (EN81-71 compliant)



CL80V / CL80FF / CL80FFL
Finish: Cottongrass White (P63)
Asturias Satin (F)



CL96V / CL96FF / CL96FFL
Finish: Cottongrass White (P63)
Asturias Satin (F)

Handrails




HR64 - HR64TR (EN81-70)
F Asturias Satin
P70 Painted Carbon Black
(anti-bacterial treatment)
[🔗](#)



HR81 - HR81TR (EN81-70)
F Asturias Satin
P70 Painted Carbon Black
(anti-bacterial treatment)
[🔗](#)



HR94 * (EN81-70 & EN81-71 Cat.2)
F Asturias Satin
[🔗](#)



HR64TR and HR81TR
are continuous
versions

Handrail finishes

-  Asturias Satin (F) [🔗](#) [🔗](#)
-  Painted Carbon Black (P70) [🔗](#) [🔗](#)

Ceiling finishes

-  Asturias Satin (F) [🔗](#) [🔗](#)
-  Cottongrass White (P63) [🔗](#) [🔗](#)

Buffer rails



BR1
TS - Flemish Linen
[🔗](#)




PR5
Solid wood: Oak/Beech
[🔗](#)



PR6
Brushed stainless steel
[🔗](#)

Mirrors



Mirrors are available as
partial height, full width
with clear glass without
fixings

Note:

-  Extended lead time
-  Nordic Swan Ecolabel: Material can be used in Nordic Swan Ecolabelled buildings.
-  LEED/BREEAM: Material meets LEED/BREEAM low-emitting materials requirements. Accessories are not in scope of the requirements.
- * All ceilings available up to 2500 kg
- ** LF1 and LF1V are the only ceilings for cars over 4000 kg

Car operating panel (COP)

COP



KONE
Interact 10

KONE
Interact 20

Faceplate finishes

- Asturias Satin (F)  
- Carbon Black (CB)*  

Mounting type

COP: flush
Buttons: flush and surface (EN81-72 compliant)

COP Display



5,7" LCD**



Full graphic 7" LCD*



Full graphic 10,1" LCD*

COP lens



Black,
round



Black,
rectangular



Magic Mirror,
round*



Magic Mirror,
rectangular*

Note:

-  Extended lead time
-  Nordic Swan Ecolabel: Material can be used in Nordic Swan Ecolabelled buildings.
-  LEED/BREEAM: Material meets LEED/BREEAM low-emitting materials requirements.

Accessories are not in scope of the requirements.

* Only for KONE Interact 20

** Only for KONE Interact 10

KSS 700 – Destination signalization

COP



Faceplate finishes

- Asturias Satin (F)  
- Carbon Black (CB)    (Anti-fingerprint)

Mounting type

COP: flush
Button: surface


COP Display



Scrolling dot matrix
(KSC 733)

KSS 140 – Vandal resistant

COP



KSC 143PH
(Partial height)
KSC 143FH
(Full height)

Faceplate finishes

- Asturias Satin (F)  
- Scottish Quad (K)  

Mounting type

COP: flush
Button: surface


Landing devices



KSI 143



KSL 140




KSH 150

KSS H – Accessible excellence



KSC H70, up to 12 buttons
KSC H40, up to 6 buttons

Landing devices (surface mounted)



KSL 710

Faceplate finishes

- Asturias Satin (F)  



Note:

 Extended lead time

 Nordic Swan Ecolabel: Material can be used in Nordic Swan Ecolabelled buildings.

 LEED/BREEAM: Material meets LEED/BREEAM low-emitting materials requirements. Accessories are not in scope of the requirements.

Landing user interface (surface mounted)

Landing call stations



KSL 186



KSL 280



KSL 284



KSL 286
simplex



KSL 286
duplex

Hall displays



KSH 280



KSI 286

Landing user interface (flush mounted)

Landing call stations



KSL 750



KSK 751



KSK 750

Faceplate finishes

 Silver (ST4)  

 Carbon Black (CB)  

Hall displays



KSI 756



KSH 750



KSI 753



KSA 753

KONE provides innovative and eco-efficient solutions for elevators, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings.

We support our customers every step of the way; from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in helping our customers manage the smooth flow of people and goods throughout their buildings.

Our commitment to customers is present in all KONE solutions. This makes us a reliable partner throughout the life cycle of the building. We challenge the conventional wisdom of the industry. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE MonoSpace® DX, KONE NanoSpace™ and KONE UltraRope®.

KONE employs close to 57,000 dedicated experts to serve you globally and locally.

UAE

Dubai (regional Office)

KONE Middle East LLC
U-Bora Tower,
C/O Al Abraj Str & Al Khaleej Str,
Business Bay.
P.O. Box 21474
Tel: +971 4 279 4500
www.kone.ae

Kingdom of Saudi Arabia

Riyadh (Head Office)

KONE Areeco Ltd
King Fahad Road,
Olaya District,
Al Hamad Tower, Floor 8.
Tel: +966 9200 17055
www.kone.sa

Egypt

KONE LLC
Plot no.10 B, Mohamed Naguib Axis,
Fifth Settlement,
O1 Mall, KONE 2nd Floor, New Cairo.
Tel: +20 232 44 300
www.kone.eg

Morocco

KONE Elevators and Escalators
SARLAU
Lot Marjana N6,
Sidi Maarouf, Casablanca.
P.O Box 20280
Tel: 0522 58 02 11
www.kone.ma

Qatar

KONE Elevators LLC
Ghanem Office Tower,
Building No. 54, Street No. 640,
Zone 23, Salwa Road,
Bin Mahmoud Area, Doha.
P.O. Box 37143
Tel: +974 4488 8835
www.kone.qa

Oman

KONE Assarain LLC
Hatat House B, Office 103, 1st Floor,
Wadi Adai, Ruwi 112, Muscat.
P.O. Box 1475
Tel: +968 246 570 00
www.kone.om

Bahrain

KONE Bahrain SPC
Building 767, Office number 61,
Road number: 3629,
Block number: 336,
Adliya, Kingdom of Bahrain.
P.O. Box 21303
Tel: +973 1774 9271
www.kone.bh

Kuwait

Laila Tower, 14th floor, office 3,
Salmiya, Kuwait.
P.O. Box 21119 - Safat 13072
www.kone.com.kw

Tunisia

Ensemble Mobilier Miniar,
Rue du Lac d'Ourmia,
1053 Les Berges du Lac,
Tunis, Tunisie.
www.kone.tn

East Africa (Kenya and Uganda)

KONE NAIROBI (Head Office)
Crowne Plaza Annexe, 13th Floor,
Along Kenya Road, Nairobi, Kenya.
P.O. Box 35174-00100
www.kone.co.ke
www.kone.ug

South Africa

KONE Elevators South Africa (Pty) Ltd,
20 Friesland Drive, Longmeadow,
Business Estate (South),
Edenvale 1610, Johannesburg.
Tel: +27 11 035 1800
www.kone.co.za

Türkiye

İçerenköy Mah. Değirmenyolu Cad.
No:28 Asiaofispark B Blok D:3 Kat:2
34752 Ataşehir/İstanbul.
Tel: 444 56 63
www.kone.com.tr

Kazakhstan

KONE Kazakhstan LLP
D.Konayev Street 12/1,
floor 9, 010017,
Astana, Kazakhstan.
www.kone.kz